



This document contains proprietary information and such information may not be disclosed to others for any purposes, not used for sales/marketing/procurement purposes without written permission

1. Electrical
 - 1.1 Impedance: 50ohm
 - 1.2 Frequency: DC-6GHz
 - 1.3. Insulation resistance: $\geq 5000M\Omega$
 - 1.4 Dielectric withstanding voltage: 500V(rms)
 - 1.5 VSWR: 1.20:1

- 2 Material&Finish
 - 2.1 Inner Contact: Beryllium copper, gold plated
 - 2.2 Outer Contact: brass, gold plated
 - 2.3 Insulators: PTFE



REV: A	DESCRIPTION OF REVISION: Initial Release	ECN NO.:	BY: T. Shihua	DATE: 01/09/15	APPROVED: 01/09/15																								
<table border="1"> <tr> <td>DRAWN: T. Shihua 01/09/15</td> <td colspan="5">TITLE: RF Adaptor</td> </tr> <tr> <td>ENGINEER: C. Tao 01/09/15</td> <td colspan="5">SMA Male to Female Right Angle</td> </tr> <tr> <td>APPROVED: W. Qiang 01/09/15</td> <td colspan="5">PART NO: SMA-JWC2</td> </tr> <tr> <td colspan="6"> TOLERANCES UNLESS OTHERWISE SPECIFIED X +0.50 .X +0.20 .XX +0.10 ANGLES *° </td> </tr> </table>						DRAWN: T. Shihua 01/09/15	TITLE: RF Adaptor					ENGINEER: C. Tao 01/09/15	SMA Male to Female Right Angle					APPROVED: W. Qiang 01/09/15	PART NO: SMA-JWC2					TOLERANCES UNLESS OTHERWISE SPECIFIED X +0.50 .X +0.20 .XX +0.10 ANGLES *°					
DRAWN: T. Shihua 01/09/15	TITLE: RF Adaptor																												
ENGINEER: C. Tao 01/09/15	SMA Male to Female Right Angle																												
APPROVED: W. Qiang 01/09/15	PART NO: SMA-JWC2																												
TOLERANCES UNLESS OTHERWISE SPECIFIED X +0.50 .X +0.20 .XX +0.10 ANGLES *°																													
STEREN			DIMENSION IN MILLIMETERS (mm)																										
SIZE: A4			SCALE: N/A																										
SHEET: 1/1			REV: A																										

Notes:

1. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE NOTICE AT ANY TIME
2. CUSTOMER OUTLINE DRAWING FOR REFERENCE ONLY