


This document contains proprietary information and such information may not be disclosed to others for any purposes, not used for sales/marketing/procurement purposes without written permission

REV	DESCRIPTION OF REVISION	TRL NO.	BY	DATE	APPROVED
A	Initial Release		T.Shihua	21/04/16	21/04/16




- 1 电气性能**
- 1.1 阻抗: 50Ω
 - 1.2 频率: DC-18GHz
 - 1.3 介质耐压: 1500V(volts RMS)
 - 1.4 内导体电阻: ≤ 1MΩ
 - 1.5 外导体电阻: ≤ 0.2MΩ
 - 1.6 绝缘电阻: ≥ 5000MΩ
 - 1.7 驻波: 1.2max

- 2 材质 & 涂覆**
- 2.1 外壳: 黄铜, 镀镍
 - 3.2 绝缘介质: Teflon
 - 3.3 内导体: 青铜, 镀金

Notes:

- 1. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE NOTICE AT ANY TIME
- 2. CUSTOMER OUTLINE DRAWING FOR REFERENCE ONLY

DRAWN: T.Shihua 21/04/16	TITLE: N-KRDTA	 www.terlial.com
ENGINEER: C.Too 21/04/16	N Female Flange Conn. For Termlnal	
APPROVED: W.Qiang 21/04/16	PART NO: TRL-NF-263899	SIZE: A4
TOLERANCES UNLESS OTHERWISE SPECIFIED		SCALE: N/A
X ±0.30		SHEET: 1/1
XX ±0.20		REV: A
ANGLES 3°		